# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,647,255 B2 Page 1 of 4

APPLICATION NO.: 10/763803
DATED: January 12, 2010
INVENTOR(S): Jihua Wang

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title Page, showing an illustrative Figure, should be deleted and substitute therefor the attached title page.

### IN THE DRAWINGS:

Please replace the informal drawings with the attached formal drawings.

Signed and Sealed this

Eighth Day of June, 2010

David J. Kappos Director of the United States Patent and Trademark Office

## (12) United States Patent Wang et al.

(54) DOTABLE INVENTORY CALCULATION

(10) Patent No.: (45) Date of Patent:

US 7,647,255 B2 Jan. 12, 2010

(34)	METHOD				
(75)	Inventors:	Jihua Wang, Unionville, CT (US); Ravi Rajamani, West Hartford, CT (US); Robert Tomastik, Rocky Hill, CT (US); Thomas Gannon, East Hampton, CT (US)			
(73)	Assignæ:	United Technologies Corporation, Hartford, CT (US)			
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35			

patent is extended or adjusted under 35

U.S.C. 154(b) by 1272 days.

(21) Appl. No.: 10/763,803

Jan. 23, 2004 (22)Filed:

**Prior Publication Data** (65)US 2005/0177467 A1 Aug. 11, 2005

(51)	Int. Cl.		
	G06O 10/00	(2006.01)	

(52) U.S. Cl. ...... 705/28; 705/8

Field of Classification Search ...... 705/28 See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

5,608,621 A \* 3/1997 Caveney et al. ...... 705/10

5,946,662	A *	8/1999	Ettl et al	705/8
5,953,707	A *	9/1999	Huang et al	705/10
7,266,518	B2 *	9/2007	Klim et al	705/28
7,370,001	B2 *	5/2008	Harris	705/10
2001/0034673	Al*	10/2001	Yang et al	705/28
2004/0024661	Al*	2/2004	Freel et al	705/28
2006/0047559	Al*	3/2006	Jacoby et al	705/10
2007/0016496	Al*	1/2007	Bar et al	705/28
2007/0156543	Al*	7/2007	Klim et al	705/28
		* '		

#### OTHER PUBLICATIONS

Canada 3000 Enlists Rotable.com to Optimize Spare Parts Investment, Sep. 5, 2000, Business Wire, p. 883.\* Patricia Brown, Getting Inventories in Order, Apr. 2003, Overhaul & Maintenance, vol. IX, No. 3, p. 32.\*


#### \* cited by examiner


Primary Examiner-Matthew S. Gart Assistant Examiner—Scott A Zare (74) Attorney, Agent, or Firm-Carlson, Gaskey & Olds

#### (57)**ABSTRACT**

A method for conducting a repairable inventory analysis calculates the minimum number of repairable parts to be held in inventory while still being able to satisfy the demand for spare parts even in view of uncertain repair lead times. The method uses a set of equations that relates a customer service level to arbitrary probability distribution functions of a repair leadtime and a part arrival process. The distributions are then searched to locate the optimal inventory level in the distribu-

16 Claims, 3 Drawing Sheets





<u>|Fig-1</u>




Fig-2

